


SOIL SAMPLING – California Style Split Barrel Samplers



California" Samplers consist of a Shoe, a Split Barrel, a Waste (Slough) Barrel (above the Split assembly) & a Head.

"California" Style Split Barrel Samplers – are available from USExploration Equipment Company. This unique design utilizes a **Waste (Slough) Barrel** between the top of the Split Barrel & below the (Back) Head (Sub) Assembly, allowing the user to get a more representative sample, after discarding the first six inches. The thin-wall design lends itself to using Brass (Ring style) Liners or Clear Plastic, should that also be required. Our preferred assembly is supplied with coarse **(4-TPI) threads** on the Shoe, Split Barrel, Waste Barrel & Head, so this innovative sampling tool does well in the field in all kinds of overburden applications. Simply match your desired outside diameter, with the required sample length & drill rod connection when ordering...

Sampler Outside Diameter	Split Barrel Inside Diameter	Shoe Inside Diameter Sharp/ Blunt	Split Barrel Length	Assembly Weight	(Back) Head or Sub Drill Rod Box Connection	Assembly Part Number
2-inch (50.8mm)	1-1/2-inch (38.1mm)	1-3/8-inch (34.9mm)	18-inch (457.2mm)	13.6-Pounds (6.2 kg)	AW	26049
2-inch (50.8mm)	1-1/2-inch (38.1mm)	1-3/8-inch (34.9mm)	18-inch (457.2mm)	13.6-Pounds (6.2 kg)	AWJ	26048
2-inch (50.8mm)	1-1/2-inch (38.1mm)	1-3/8-inch (34.9mm)	24-inch (609.6mm)	16-Pounds (7.3 kg)	AW	26051
2-inch (50.8mm)	1-1/2-inch (38.1mm)	1-3/8-inch (34.9mm)	24-inch (609.6mm)	16-Pounds (7.3 kg)	AWJ	26052
2-1/2" OD (63.5mm)	2-inch (50.8mm)	1-7/8-inch (47.6mm)	18-inch (457.2mm)	18.9-Pounds (8.6 kg)	AW	26059-18
2-1/2" OD (63.5mm)	2-inch (50.8mm)	1-7/8-inch (47.6mm)	18-inch (457.2mm)	18.9-Pounds (8.6 kg)	AWJ	26056
2-1/2" OD (63.5mm)	2-inch (50.8mm)	1-7/8-inch (47.6mm)	24-inch (609.6mm)	22.4-Pounds (10.2 kg)	AW	26059

SOIL SAMPLING – California Style Split Barrel Samplers

Sampler Outside Diameter	Split Barrel Inside Diameter	Shoe Inside Diameter Sharp/ Blunt	Split Barrel Length	Assembly Weight	(Back) Head or Sub Drill Rod Box Connection	Assembly Part Number
2-1/2"OD (63.5mm)	2-inch (50.8mm)	1-7/8-inch (47.6mm)	24-inch (609.6mm)	22.4-Pounds (10.2 kg)	AWJ	26056-24
2-1/2"OD (63.5mm)	2-inch (50.8mm)	1-7/8-inch (47.6mm)	48-inch (1.2m)	45-Pounds (20.4 kg)	AWJ	26192
3-inch (76.2mm)	2-1/2-inch (63.5mm)	2-3/8-inch (60.3mm)	18-inch (457.2mm)	26.3-Pounds (11.9 kg)	AW	26057
3-inch (76.2mm)	2-1/2-inch (63.5mm)	2-3/8-inch (60.3mm)	18-inch (457.2mm)	26.3-Pounds (11.9 kg)	AWJ	26066
3-inch (76.2mm)	2-1/2-inch (63.5mm)	2-3/8-inch (60.3mm)	18-inch (457.2mm)	26.3-Pounds (11.9 kg)	NW	26183
3-inch (76.2mm)	2-1/2-inch (63.5mm)	2-3/8-inch (60.3mm)	18-inch (457.2mm)	26.3-Pounds (11.9 kg)	NWJ	26184
3-inch (76.2mm)	2-1/2-inch (63.5mm)	2-3/8-inch (60.3mm)	24-inch (609.6mm)	28-Pounds (12.7 kg)	AW	26185
3-inch (76.2mm)	2-1/2-inch (63.5mm)	2-3/8-inch (60.3mm)	24-inch (609.6mm)	28-Pounds (12.7 kg)	AWJ	26066-24
3-inch (76.2mm)	2-1/2-inch (63.5mm)	2-3/8-inch (60.3mm)	24-inch (609.6mm)	28-Pounds (12.7 kg)	NW	26066-NW
3-inch (76.2mm)	2-1/2-inch (63.5mm)	2-3/8-inch (60.3mm)	24-inch (609.6mm)	28-Pounds (12.7 kg)	NWJ	26186

Plastic Basket Trap Outside Diameter	Shoe Outside Diameter	Shoe Inside Diameter	Assembly Part Number
1-1/2-inch (38.1mm)	2-inch (50.8mm)	1-1/2-inch (38.1mm)	26014
2-inch (50.8mm)	2-1/2-inch (63.5mm)	2-inch (50.8mm)	26014-250
2-1/2-inch (63.5mm)	3-inch (76.2mm)	2-1/2-inch (63.5mm)	26014-3

SOIL SAMPLING – California Style Split Barrel Samplers

Shoe (Sharp/ Blunt) Outside Diameter	Threads Per Inch	Assembly Part Number
2-inch (50.8mm)	4-TPI	26013
2-1/2-inch (63.5mm)	4-TPI	26021
3-inch (76.2mm)	4-TPI	26119

Split Barrel Outside Diameter	Split Barrel Inside Diameter	Split Barrel Length	Threads Per Inch	Assembly Part Number
2-inch (50.8mm)	1-1/2-inch (38.1mm)	18-inch (457.2mm)	4-TPI	26115
2-inch (50.8mm)	1-1/2-inch (38.1mm)	24-inch (609.6mm)	4-TPI	26187
2-1/2-inch (63.5mm)	2-inch (50.8mm)	18-inch (457.2mm)	4-TPI	26114
2-1/2-inch (63.5mm)	2-inch (50.8mm)	24-inch (609.6mm)	4-TPI	26188
3-inch (76.2mm)	2-1/2-inch (63mm)	18-inch (457.2mm)	4-TPI	26105
3-inch (76.2mm)	2-1/2-inch (63.5mm)	24-inch (609.6mm)	4-TPI	26189

Waste Barrel Outside Diameter	Waste Barrel Inside Diameter	Waste Barrel Length	Threads Per Inch	Assembly Part Number
2-inch (50.8mm)	1-1/2-inch (38.1mm)	6-inch (152.4mm)	4-TPI	26104-200
2-1/2-inch (63.5mm)	2-inch (50.8mm)	6-inch (152.4mm)	4-TPI	26104-250
3-inch (76.2mm)	2-1/2-inch (63mm)	6-inch (152.4mm)	4-TPI	26104

SOIL SAMPLING – California Style Split Barrel Samplers

(Back) Head or Sub Outside Diameter	(Back) Head or Sub Drill Rod Box Connection	Threads Per Inch	Assembly Part Number
2-inch (50.8mm)	AW	4-TPI	26100
2-inch (50.8mm)	AWJ	4-TPI	26101
2-1/2-inch (63.5mm)	AW	4-TPI	26190
2-1/2-inch (63.5mm)	AWJ	4-TPI	26151
3-inch (76.2mm)	AW	4-TPI	26191
3-inch (76.2mm)	AWJ	4-TPI	26109
3-inch (76.2mm)	NW	4-TPI	26102
3-inch (76.2mm)	NWJ	4-TPI	26103