


SOIL SAMPLING – Shelby Tube Samplers



Shelby Tube (Thinwall) Samplers & Accessories – are available from USExploration Equipment Company in Steel, Brass and Galvanized. The “push style” sampler recovers “in-situ” samples in 2-inch (51mm), 2-1/2-inch (63.5mm), 3-inch (76.2mm) and 5-inch (127mm) diameters. Easily capped and sent to the lab for analysis, this long standing ASTM approved sampling tool has experienced resurgence as a result of heightened awareness of environmental issues. Sampler assemblies or extra Tubes, Heads, Cap (Set) Screws, Bee’s Wax (Slabs) and Plastic Caps are all available from our stock...

Various Shelby Tubes (top) come in a wide range of diameters, require Set Screws (center) & are available for Pitcher Barrel Samplers as well (bottom).

Shelby Tube Diameter	Shelby Tube Length	Shelby Tube Material	Special Feature	Assembly Weight	Assembly Part Number
2-inch (51mm)	30-inch (762mm)	Steel	Standard Wall	3-Pounds (1.4 kg)	26194
2-1/2-inch (63.5mm)	30-inch (762mm)	Steel	Standard Wall	4-Pounds (1.8 kg)	26204
3-inch (76.2mm)	24-inch (610mm)	Steel	Standard Wall	5-Pounds (2.3 kg)	26195
3-inch (76.2mm)	30-inch (762mm)	Steel	Standard Wall	5-Pounds (2.3 kg)	26015
3-inch (76.2mm)	30-inch (762mm)	Steel	Heavy Wall	6-Pounds (2.7 kg)	26015-HD
3-inch (76.2mm)	30-inch (762mm)	Galvanized	Standard Wall	5-Pounds (2.3 kg)	26000
3-inch (76.2mm)	36-inch (915mm)	Steel	Standard Wall	6-Pounds (2.7 kg)	26196
5-inch (127mm)	36-inch (915mm)	Steel	Standard Wall		26197

SOIL SAMPLING – Shelby Tube Samplers

Shelby Tube Head with Drill Rod Connection	Fits Shelby Tube Diameter	Number of Set Screws	Assembly Weight	Assembly Part Number
AW	2-inch (51mm)	4-Set Screws	6-Pounds (2.7 kg)	26209
AWJ	2-inch (51mm)	4-Set Screws	6-Pounds (2.7 kg)	26198
AW	2-1/2-inch (63.5mm)	4-Set Screws	8-Pounds (3.6kg)	26199
AWJ	2-1/2-inch (63.5mm)	4-Set Screws	8-Pounds (3.6kg)	26200
AW	3-inch (76.2mm)	4-Set Screws	9-Pounds (4.1 kg)	26016
AWJ	3-inch (76.2mm)	4-Set Screws	9-Pounds (4.1 kg)	26017
AWJ	3-inch (76.2mm)	4-Set Screws	9-Pounds (4.1 kg)	26017-HD
NW	3-inch (76.2mm)	4-Set Screws	9-Pounds (4.1 kg)	26203
NWJ	3-inch (76.2mm)	4-Set Screws	9-Pounds (4.1 kg)	26202
NW	5-inch (127mm)	4-Set Screws	9-Pounds (4.1 kg)	26205
NWJ	5-inch (127mm)	4-Set Screws	9-Pounds (4.1 kg)	26201

Soft Plastic Caps Fit Shelby Tube Diameter	Number Required Per Shelby Tube	Assembly Part Number
2-inch (51mm)	2-Required	26206
2-1/2-inch (63.5mm)	2-Required	26208
3-inch (76.2mm)	2-Required	26019
5-inch (127mm)	2-Required	26207

SOIL SAMPLING – Shelby Tube Samplers

Soil Seals with Expandable Rubber O-Ring Fit Shelby Tube Diameter	Number Required Per Shelby Tube	Assembly Part Number
2-inch (51mm)	2-Required	26213
2-1/2-inch (63.5mm)	2-Required	26214
3-inch (76.2mm)	2-Required	26152
5-inch (127mm)	2-Required	26153

Set Screws Fit Shelby Tube Diameter	Number Required Per Head Assembly	Assembly Part Number
2-inch (51mm)	4-Required	26210
2-1/2-inch (63.5mm)	4-Required	26212
3-inch (76.2mm)	4-Required	26018
5-inch (127mm)	4-Required	26211

Bee's Wax	Assembly Weight	Assembly Part Number
Slab Wrapped in Wax Paper	11-Pounds (5 kg)	26135